



Installation manual for: 3500D3C/G

Dimensions : L27.5" W4.7" H9.2"

Collection: Polaris

Bulb Type: LED PCB 22.5W 3000K

Lamp Weight :11LBS

Total Weight :13.2LBS



Thank you for choosing our product(s).

Our Company is actively involved in every step of the production.

Our product(s) are designed to be utilized for every application that graces your home or business.

We pride ourselves in providing the most prompt and courtesy service to all of the valued customers.

Please find the enclosed detailed instructions and read carefully for proper installation. If you have any questions, our professional customer service team is committed to assisting you, please call our toll free HOTLINE AT:

1-888-388-3390 (T) c(B)

Warning: MAKE SURE THE ELECTRICITY TO THE WIRES YOU ARE WORKING ON IS SHUT OFF.BY EITHER REMOVING THE FUSE OR TURNING OFF THE CIRCUIT BREAKER.

CAUTION

- Before assembling the lighting fixture, please read all instructions carefully.
- All frame & crystal components are fragile, please handle with care.
- Required supply circuit : 110 130V/60Hz
- Labeled wires are "L" for live wire, "N" for neutral wire, "E" for ground wire.
- Never install fixture on damp ceiling, the room should be dry and well ventilated
- All electrical components must be installed by a licensed electrician and in accordance with the National Electrical Code and the appropriate local electrical codes.


Unpack the Package

Please open the box carefully and check all the items are inside the box. If you have any installation, assembling and missing parts questions, please call our Customer Service department at 1-888-388-3390. Please have model number (at the front page), where you purchase from and any other relevant information ready, our customer service team will provide comprehensive and worry free service to our valued customers.

<u>(2)</u>

 $3500D3 \text{ L27.5} \text{ } \text{\text{W4.7}} \text{\text{H9.2}} \text{\text{\text{?}}}$

Assembly Diagram



3500D3 L27.5" W4.7" H9.2"

Step 1
Please use the parts list to ensure you are not missing any parts.

3500D3

PARTS LIST

	6	M4*8 screw	1	P15
	3	012*H13 wire fixer		P14
	3	0.3mm² electrical wire	آ ر_	P13
	3	M10*20 connector	4	P12
	2	M5 screw cap		P11
	1	stainless steel plate		P10
	1	canopy		P09
	3	screw pad	H	P08
	3	M10*T5 nut		P07
	1	dimmable LED driver		P06
	2	M4*40 screw	зичними	P05
	3	M4*32 screw	эххэнни	P04
	2	5*50 bracket screw		P03
	1	straight bracket		P02
	1	round bracket		P01
Check list	Qty	Description	Picture	Part #

(3)

(2)

3500D3 L27.5" W4.7" H9.2"

		P	P	P	P	P	P	P	P	P	P	P	P	Part
		P27	P26	P25	P24	P23	P22	P21	P20	P19	P18	P17	P16	#
		©				0	0	0	I	(=			(0)	Picture
		14*10*2.5mm	plastic anchor screw	45# crystal	30*75 polyhedron crystal	stainless steel crystal fixer	<pre>Ø5.3*10 steel pipe with thread inside</pre>	stainless steel crystal fixer	M4*25 threaded rod	M10*10 plastic screw	05.3*65 steel pipe with thread inside	LED PCB(lighting source)	stainless steel crystal fixer	Description
		6	2	ω	54	3	12	6	12	ω	18	9	9	Qty
														Check list

Installation Instructions

Installation:


Please read all instructions carefully, before you proceed to install. Make sure that the power supply is turned off and remained off until the installation is completed. Please note that each step has been assigned a number. Please proceed following the numerical order.

- 1. drill two holes on the ceiling and put the P25 into the holes;
- 2. assembly the braket with PO1, PO2, PO3, P26 and P27;
- 3. install the bracket on the ceiling with PO5;
- . connect the wires to electrical network;
- . assembly the light to the bracket with P11;
- . turn on the switch to check;

3500D3 L27.5" W4.7" H9.2"

Step 2

Canopy Installation Instruction



3500D3 L27.5" W4.7" H9.2"

Congratulations!

You are now done installing your Elegant lighting fixture. Sit back and admire each crystal as it will become the statement piece for your room/house.

If you require any additional assistance, please contact us at 1-888-388-3390.

Thank you!

3500D3 L27.5" W4.7" H9.2"

Cleaning and Maintenance Instruction

The frame and canopy surface is stainless polished. Please use a clean, soft and dry cloth to clean. Do not use any hard object or tools to scratch on the surface of the metal. Failure to follow these instructions automatically voids the guarantee.

Cleaning and Maintenance of Crystals

Wet a soft cotton fabric in clean warm water and wipe gently, then polish with a dry soft cotton fabric.

To Order Replacement Parts

Please contact the store where the product was purchased or contact us at the address shown on the reverse side. For ease of ordering, you may use the original parts list, indicating the model number, part number and quantity and faxing it to our customer service department at

215-423-8882. You will be contacted with prices prior to shipment. All orders must be pre-paid.

3500D3 L27.5" W4.7" H9.2"

Elegant Lighting Warranty

The finish and frame of your new chandelier or fixture are warranted for a period of two (2) years from the date of purchase. Our company will, at its option, repair or replace any frame that has a defect in the materials or

workmanship during the warranty period. All crystals are guaranteed for their original quality during the life of the chandelier. Breakage is not covered by this warranty.

To make a claim under this warranty, contact our customer service department at the address and phone number shown below. A written return authorization form will be sent to you with specific instructions.

CUSTOMER SERVICE DEPARTMENT

500-550 E. Erie Avenue Philadelphia, PA 19134

Tel: 215-423-8880

Fax: 215-423-8882

6

3500D3 L27.5" W4.7" H9.2"

Returns and Conditions of Warranty

liability in connection with the sale of our products any other person or firm to assume for us, any liabilities. Further, we neither authorize nor permit implied and any and all other obligations or all other guaranteed or warrantee, whether written or procedures. This guarantee is issued in lieu of any and follow the recommended maintenance or installation by others, nor for damages resulting from a failure to damage incurred during improper installation or wiring handling. Also, we will not be held responsible for subject to misuse, negligence, accident or inappropriate for crystal parts or metal frame part that have been any breakage or damages incurred during transit, nor pre-authorized facility. We will not be responsible for been repaired or altered by anyone other than a modified, nor shall it apply to any product that has any product that has been changed, altered or otherwise nature of any defect. This guarantee shall not apply to inspect all returned merchandise to fully determine the shipping charges pre-paid. We reserve the right to written return merchandise authorization and return reverse side. Returns will only be accepted with a customer service department at the address on the Returns must be pre-authorized by contacting our