


# 3" INGROUND 120V

5032

# WAC

## LANDSCAPE LIGHTING



Fixture Type:

Catalog Number:

Project: \_\_\_\_\_

Location: \_\_\_\_\_

### PRODUCT DESCRIPTION

Landscape Wall Wash luminaire

### FEATURES

- Adjustable beam angle
- Integral dimmer
- IP67 rated, protected from temporary immersion under water
- Drive over up to 4500lbs
- Solid diecast brass or corrosion resistant aluminum
- Available concrete pour kit
- 6' lead wire and wire nuts included
- Maintains constant lumen output against voltage drop
- UL 1598 listed
- Not suitable to use with external dimmers

### SPECIFICATIONS

**Input:** 110V - 120VAC  
**Power:** 3W to 11.5W  
**Brightness:** 65 lm to 515 lm  
**Beam Angle:** 15° to 60°  
**CRI:** 85  
**Rated Life:** 45,000 hours

### IEC safety Standard


	Walk over	Drive over
Resistance to static load test	Yes (1125lbs)	Yes (4496lbs)
Resistance to torque and shear loads test	N/A	Yes

### ORDERING NUMBER

	Color Temp	Finish
<b>5032</b> 3" Inground 120V	<b>30</b> 3000K	<b>BZ</b> Bronze on Aluminum <b>BBR</b> Bronze on Brass

### Module Replacement

3000K	<b>M5032LE-30BZ</b>
-------	---------------------



**5032-30**\_\_\_\_\_

Example: **5032-30BBR**

waclighting.com  
 Phone (800) 526.2588  
 Fax (800) 526.2585

Headquarters/Eastern Distribution Center  
 44 Harbor Park Drive  
 Port Washington, NY 11050

Central Distribution Center  
 1600 Distribution Ct  
 Lithia Springs, GA 30122


Western Distribution Center  
 1750 Archibald Avenue  
 Ontario, CA 91760

# 3" INGROUND 120V

5032

# WAC


## LANDSCAPE LIGHTING



**Typical Inground**  
*Most light output goes into the air,  
causing light pollution*



**Adjust Beam Angles**  
*Presets at  
15°, 30°, 45°, 60°*



**Adjustable WAC Inground**  
*Adjust the light to where you need it*



**Control Brightness**  
*Adjustable from 65lm to 515lm  
Presets Comparable to  
10W, 25W, 35W, 50W, 75W Halogen source*



[wacighting.com](http://wacighting.com)  
Phone (800) 526.2588  
Fax (800) 526.2585

**Headquarters/Eastern Distribution Center**  
44 Harbor Park Drive  
Port Washington, NY 11050

**Central Distribution Center**  
1600 Distribution Ct  
Lithia Springs, GA 30122

**Western Distribution Center**  
1750 Archibald Avenue  
Ontario, CA 91760

# 3" INGROUND 120V

5032

# WAC

## LANDSCAPE LIGHTING

### Rock Guard

*Protects the fixture face*



**5030-GRD-BZ**  
*Bronze on Aluminum*

**5030-GRD-BBR**  
*Bronze on Brass*

### Optics

*Enhances saturation of florals and foliage*



**LENS-25-AMB**  
*Amber*

**LENS-25-RED**  
*Red*

**LENS-25-FR**  
*Frosted*

**LENS-25-GRN**  
*Green*


**LENS-25-BLU**  
*Blue*

**LENS-25-HCL**  
*Honeycomb Louver*  
*Reduces glare*

### Concrete Pour Kit

*For installation in concrete*  
*Five 1/2" NPT threaded holes, PC*

**5030-PIP-PVC**  
*Shown with temporary dense foam cap*



waclighting.com  
Phone (800) 526.2588  
Fax (800) 526.2585

Headquarters/Eastern Distribution Center  
44 Harbor Park Drive  
Port Washington, NY 11050

Central Distribution Center  
1600 Distribution Ct  
Lithia Springs, GA 30122

Western Distribution Center  
1750 Archibald Avenue  
Ontario, CA 91760