

Project:

Fixture Type:

Location:

Contact:

One-Light Pendant

Ceiling stem hung with 6 links of chain • Damp location listed PROGRESS LED



Description:

P5050-10830K9

The One-Light LED mini-pendant features industrial roots in both form and function. The Oil Rubbed Bronze finish highlight the high-quality prismatic glass which adds to the historical aesthetic. Perfect above a kitchen island in pairs or threes, use for additional ambience or task lighting in a bathroom, bedroom or anywhere a pendant light can be placed. 3000k, 90+ CRI 623 lumens.

Specifications:

- · Oil Rubbed Bronze (-108) (painted)
- Steel Construction
- Clear Fresnel glass lens
- LED Module is replaceable (part # 93054049)
- Oil Rubbed Bronze finish.
- Fresnel glass lens.
- Antique inspired with industrial roots
- Includes one 6", four 12" stems and 6 links of chain.
- 623 lumens 69.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- Dimmable to 10% brightness (See Dimming Notes)
- Canopy covers a standard 4" octagonal recessed outlet box
- + Mounting strap for outlet box included
- 10 feet of wire supplied
- + One 6", four 12" lengths of stem included
- Six links of 9 gauge chain supplied
- ENERGY STAR[®] qualified

Performance:

Number of Modules	1	(
Input Power	9w	
Input Voltage	120 V	(
Input Frequency	60 Hz	```
Lumens/LPW (Source)	623/69.2 (LM-82)	
Lumens/LPW (Delivered)	521/66.8 (LM-79)	
ССТ	3000 К	
CRI	90 CRI	
Life (hours)	60,000 (L70/TM-21)	
FCC	Meets FCC Title 47, Part 15 Class B	
Min. Start Temp	-30 °C	
Max. Operating Temp	30 °C	
Warranty	5 year warranty	
Labels	cCSAus Damp location listed	
	ENERGY STAR [®] qualified	



Dimensions:

Diameter: 6-1/8" Height: 6-1/4" Overall Ht. W/Stem: 72-1/4"

Glass Width: 5-3/8" Length: 5-3/8" Height: 0-1/2"



One-Light Pendant



Dimming Notes:

P5050 is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Lutron	Nova T	NTELV-300
Lutron	Vierti	VTELV-600
Lutron	Ariadni	AYCL-153P
Lutron	Diva	DVCL-153P
Lutron	Maestro	MAELV-600
Lutron	spacer/sys	stem SPSELV-600
Leviton	Renoir II	AWRMG-EAW

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.